



### 详情参数

外形尺寸-mm 3000x1300x1800 The Dimension

离地间隙 - mm Ground Clearance

电机功率-w Motor Power 60V4000W永磁同步 电动机(PMSM) 最大速度 - km/h Max Speed

续航里程 – km ≥55 Distance Range

≤25

控制器 The Controller

电池配置 – V/ Battery Capacity 60V45AH 铅酸电池(免维护) 1 Vines Size

4000W

爬坡能力 Gradeability

25°

12寸



# **個性/ショル / 1997年** / 1997年 /

送幸福保平安快乐相伴





## "炫酷出发"



















### "关于",你可以了解更多"

Vehicle Variants	Electric Vehicle Three Wheeler	Empty Vehicle weight	525-535 KG WITH 60V LEAD ACID BATTERY. 375-385 KG WITH 60V LITHIUM-ION BATTERY	
Model	L5	Chassis Type	Tubular Ladder type Carbon Steel 160 mm thickness	
Vehicle Model	TUFAN	Front Tire	4.00 - 12 6 PR	
Motor Power (W)	4000W	Rear Tire	4.00 - 12 6 PR	
Motor Rating (V)	60V	Wheelbase	2260 mm	
Motor Type	PMSM	Wheel Track	1120 mm	
Max Torque	64 N-m	Overall Length	3000 mm	
Controller	60V PMSM	Overall Width	1300 mm	
Gear Box	- High and Low and Reverse	Overall Height	1800 mm	
	- 3 Speed Plus Gear	Cround Classans	200 mm	
Gradeability (%)	7°- 20°	Ground Clearance	200 11111	
Max Speed (Km/h)	50-55 Km / hr	Steering Mode	Handle Bar	
Mileage Km per charge	Battery & Charger not included	Suspension (Front)	Helical spring dampener hydraulic shock absorber	
Fuel Type	Lithium NMC Battery	Suspension (Rear) spring	Rigid axle with leaf spring	
Battery Voltage	60V	Brakes	Front: Drum Brake Rear: Hydraulic Disc Brake.	
Battery Type: Lithium NMC 60V160AH Fast Charger (Not Included)		Parking Brakes	Mechanical Lever type	
Seating Capacity	6+1 Persons	Windscreen and Wiping System with motor	Yes	
Gross Vehicle Weight	1075-1085 KG WITH 60V LEAD ACID BATTERY	Spare wheel provision	Yes	
	950-960 KG WITH 60V LITHIUM-ION BATTERY			
Payload	550-560 Kg	Driving Mode: FNR(Forward- NeutralReverse)		
Dash Board	All the Features with matching with BMS	Audio Sound system, Bluetooth, Room Light		